


BOX02-L-316-2021

Build-in single lever mixer
with fixed outlet socket
Designer: Piet Boon




Dimensioned drawing









Spare Parts List


Part no	Spare part code	Article No	Description	QTY
1.	BOX02-L-316-001	BOX02-L-316-001.000	Plastic protection cap	1
2.	BOX02-L-316-002	BOX02-L-316-002.000	Retaining ring	1
3.	BOX02-L-316-003	G35	Cartridge	1
4.	BOX02-L-316-004	BOX02-L-316-004.000	Valve housing	1
5.	BOX02-L-316-005	BOX02-L-316-005.000	Built-in body	1
6.	BOX02-L-316-006	BOX02-L-316-006.000	Plastic cap	3
7.	BOX02-L-316-007	BOX02-L-316-007.000	Adjustable mounting frame	1
8.	BOX02-L-316-008	BOX02-L-316-008.000	Screw M4 X 8	2



Installation Manual



BOX02-L-316-2021



Please ensure you comply with the following instructions to optimise performance of the mixer:

- All pipework must be thoroughly flushed prior to installation
- For USA installation, please fix the USA NPT adapters on top of the pre-installed water connections
- Always first test the system with water pressure before closing the walls
- Optimal water pressure 3 BAR / temperature should not exceed 65°C/149°F
- Please read all installation instructions carefully

Failure to comply with manufacturers recommendations will void warranty